REMARKS

I. Status of the Application

Claims 25-27, 29-38, 40-43, and 47-52 are pending in the application. Claims 1-24, 28, 39, and 44-46 have been previously cancelled without prejudice to the filing of any appropriate continuation applications.

Claims 25, 27, 29, 32-37, 40, 47-48, and 50-52 stand rejected under 35 U.S.C. §103(a) as being unpatentable over Pisecky et al. (U.S.P.N. 4,141,783, hereinafter "Pisecky") in view of Badertscher (GB 2 036 534) and further in view of Fabre (U.S.P.N. 4,689,237).

Claim 49 stands rejected under 35 U.S.C. §103(a) as being unpatentable over Pisecky in view of Badertscher and Fabre as applied to claim 25, and further in view of Den Hollander (U.S.P.N. 5,558,819).

Claims 26, 30, and 31 stand rejected under 35 U.S.C. §103(a) as being unpatentable over Pisecky in view of Badertscher and Fabre as applied to claim 25, and further in view of Rubens (EP 0 438 783).

Claims 38 and 41 stand rejected under 35 U.S.C. §103(a) as being unpatentable over Pisecky in view of Badertscher and Fabre as applied to claims 37 and 40, and further in view of Passey (U.S.P.N. 3,564,723).

Claim 42 stands rejected under 35 U.S.C. §103(a) as being unpatentable over Pisecky in view of Badertscher, Fabre, and Passey applied to claim 41, and further in view of Hovmand et al. (U.S.P.N. 4,062,641, hereinafter "Hovmand").

Claim 43 stands rejected under 35 U.S.C. §103(a) as being unpatentable over Pisecky in view of Badertscher and Fabre as applied to claim 25, and further in view of Johnston (U.S.P.N. 2,401,077).

II. The Pending Claims Are Non-Obvious over the Cited Art

At page 2, section 3 of the instant Office Action, claims 25, 27, 29, 32-37, 40, 47-48, and 50-52 stand rejected under 35 U.S.C. §103(a) as being unpatentable over Pisecky in view of Badertscher and further in view of Fabre. At page 6, section 4 of the instant Office Action, claim 49 stands rejected under 35 U.S.C. §103(a) as being unpatentable over Pisecky in view of Badertscher and Fabre as applied to claim 25, and further in view of Den Hollander. At page 7, section 5 of the instant Office Action, claims 26, 30 and 31 stand rejected under 35 U.S.C. §103(a) as being unpatentable over Pisecky in view of Badertscher and Fabre as applied to claim 25, and further in view of Rubens. At page 8, section 6 of the instant Office Action, claims 38 and 41 stand rejected under 35 U.S.C. §103(a) as being unpatentable over Pisecky in view of Badertscher and Fabre as applied to claims 37 and 40, and further in view of Passey. At page 9, section 7 of the instant Office Action, claim 42 stands rejected under 35 U.S.C. §103(a) as being unpatentable over Pisecky in view of Badertscher, Fabre, and Passey as applied to claim 41, and further in view of Hovmand. At page 9, section 8 of the instant Office Action, claim 43 stands rejected under 35 U.S.C. §103(a) as being unpatentable over Pisecky in view of Badertscher and Fabre as applied to claim 25, and further in view of Johnston. Applicant respectfully traverses these rejections.

A. The Combination of Pisecky, Badertscher, and Fabre Fails to Render the Claimed <u>Invention Obvious.</u>

At page 2 paragraph 3 of the present final office action, the Examiner believes that Pisecky teaches

substantially atomizing the liquid form (col.6, lines 38-40) by admixing steam in a mixing chamber (col. 6, lines 30-31).

The Examiner's conclusion of what Pisecky teaches is factually incorrect. In the amendment and response filed August 15, 2008, the applicant reasoned that atomization takes place in a drying chamber (not shown) and that the mixing with steam takes place in annular chamber 18, two **distinct** and **separate** locations. Applicant identified col. 6, lines 30-58 of Pisecky as record evidence that Pisecky teaches a sequential process of mixing steam with milk concentrate in annular chamber 18, flowing the mixture of steam and milk via annular duct 21 into supply compartment 4 wherein air and steam are released and removed, and then atomizing the liquid into the drying chamber (not shown) by physically flinging it out through ejection apertures 6. Absent evidence from the Examiner to the contrary, in Pisecky, atomization does not take place in the same step as mixing steam with milk concentrate in a mixing chamber, but afterwards in a separate step and in a separate location.

The Examiner has not responded to applicant's reasoning, or otherwise demonstrated that applicant's reasoning is factually incorrect when viewed in the context of the record evidence. The Examiner has identified no evidence, except col. 6 lines 30-31, to support his conclusion. Atomization is not explicitly taught at col. 6 lines 30-31, and the Examiner has provided no reasoning that one of skill would understand that atomization is inherently necessarily present in that citation, especially when atomization is taught elsewhere.

Pisecky uses an atomizer wheel to atomize the mixture. Atomization takes place by spreading out the liquid making use of the rotation of the atomizer wheel. The atomizer wheel is *downstream of the mixing chamber*. In addition, at col. 6 lines 30-34, Pisecky states that

The steam is then mixed with milk concentrate in annular chamber 18 and thereby heats the concentrate. Due to the pressure no significant gas liberation takes place

in annular chamber 18, however when the liquid – via annular duct 21 – flows down " [Emphasis added].

The fact that the pressure is high enough that no significant gas liberation takes place in the annular chamber 18, *is evidence* that atomization does not takes place while the steam is mixed with the milk concentrate. This is confirmed by the fact that Pisecky states that the mixture leaves the annular chamber as a *liquid*. If the milk concentrate had been substantially atomized, it would not be a liquid but an aerosol.

It directly and unambiguously follows from column 6, lines 38-40 of Pisecky that atomization takes place after the milk concentrate has been mixed with steam. Namely, Pisecky states that "due to the rotation of the wheel, the liquid is flung out in a known manner through ejection apertures 6 and is *atomized* in a drying chamber" [Emphasis added]. Further, col. 6, lines 53-58 teach "... in compartment 4, liquid will inevitably be carried along which, together with the gas, is drawn up by suction into compartment 5 and, together with the gas, is flung out via apertures 7 in the form of liquid particles". Pisecky could be no clearer in teaching that atomization of the liquid takes place as a result of the rotation of the wheel, which is clearly and unambiguously positioned down stream of the chamber wherein milk concentrate and steam have been mixed. The Examiner has identified no record evidence to contradict the clear teaching of Pisecky.

At page 12 paragraph 9 of the office action, the Examiner states that "Johnston atomizes milk by admixing it with steam within the mixing chamber (page 2, right column, lines 70-75 and page 3, left column, lines 1-33). Applicant respectfully disagrees with the Examiner. Johnston states at col. 2 lines 27-29, "[p]referably the milk products while in said atomized or mist-like state are thoroughly admixed with steam at such a temperature as to rapidly bring the temperature of each particle of the material to between 250° and 280°F, although these

temperatures may be above 300°F in the case of fruit juices and soups." It is clear that the milk products are already atomized before they are admixed with steam, in contrast to the presently claimed invention which includes substantially atomizing the product in liquid form by admixing steam in a mixing chamber.

Badertscher fails to remedy the deficiencies of Pisecky. Badertscher is completely silent regarding atomization. Instead, Badertscher teaches at page 1, lines 89-95: "Using the apparatus according to the present invention, it is possible to inject only that quantity of steam which is required for bringing the fluid product to the required temperature by **condensation** on the product of all the steam injected. The heated fluid mass may have a high level of homogeneity on leaving the apparatus ..." Badertscher may teach a homogeneous mixture of fluid product and steam in a mixing chamber, but clearly fails to teach or suggest atomization of a liquid product by admixing steam in a mixing chamber.

Fabre fails to remedy the deficiencies of Pisecky as well. Fabre is also silent regarding atomization. In the mixing chamber 10 of Faber, there is not even homogeneous mixing of vapor with fluid, as disclosed in the abstract: "... injecting the vapor from the annular chamber into the mixing chamber perpendicularly to the fluid flowing through the mixing chamber. A stream of the fluid, vapor, and vapor-fluid mixture thus obtained is passed through and out from the mixing chamber ..." Fabre clearly does not teach or suggest atomization of the fluid by admixing steam in the mixing chamber. Indeed, it is highly unlikely that atomization takes place in the mixing chamber of Fabre since the stream of fluid, vapor, and vapor-fluid mixture then passes out of the mixing chamber into a constricting means and a passage means so as to generate cavitation (formation of bubbles in flowing liquid under low pressure) and critical flow therein (abstract).

So instead of atomization, Fabre uses cavitation and critical flow to thoroughly mix and heat the fluid with the vapor.

For at least the foregoing reasons, the combined disclosures of the cited references fail to teach or suggest the step in independent claim 25 of substantially atomizing the product in liquid form by admixing steam in a mixing chamber heated by the steam so as to kill microorganisms and produce a pasteurized or sterilized product. Accordingly, the Examiner has failed to present a prima facie case of obviousness. Accordingly, applicant respectfully requests reconsideration and allowance of claims 25, 27, 29, 32-37, 40, 47-48, and 50-52.

B. The Remaining References Fail To Render The Claimed Invention Obvious

None of the remaining references, alone or in combination, cure the deficiencies of the references discussed above.

The Examiner relies upon Den Hollander to teach placement of distribution plates in the steam inflow openings. But Den Hollander fails to teach or suggest atomization of a liquid product by admixing steam in a mixing chamber. Instead, Den Hollander teaches that the liquid is introduced into the downflow heater plant as liquid jets which can be very elongated and retain their shape, and that steam condenses on the liquid jets (col. 2, lines 4-8, lines 17-21, line 33). Den Hollander is completely silent regarding atomization. Therefore, claim 49 is not rendered obvious by the combined teachings of Pisecky, Badertscher, Fabre, and Den Hollander.

The Examiner relies upon Rubens for disclosing the size of the mixing chamber being in the range of 13 mm to 51 mm (page 5, lines 4-7), and the outlet opening being between 6.3 mm and 13 mm, which size may be varied depending on temperature and moisture content as well as flow rates (page 5, lines 32-35). However, Rubens cannot be combined with Pisecky because the parameters of the two-fluid, internal-mix spray drying nozzle of Rubens physically cannot be

mapped onto the spray drying atomizer wheel of Pisecky. The size of the mixing chamber of Rubens is disclosed as the distance between the inlet port and the vent aperture. However, the mixing chamber of Pisecky (annular chamber 18) does not directly open onto the ejection aperture as it does for Rubens, but instead passes through duct 21 and supply compartment 4 before arriving at ejection aperture 6, where the liquid exits at a 90° angle from its direction of flow from the mixing chamber. It is unclear whether the distance disclosed by Rubens between inlet port and vent aperture should be mapped onto the length of the path traveled by a liquid flowing from annular chamber 18 to ejection aperture 6 in Pisecky, or to the straight-line distance between annular chamber 18 and ejection aperture 6, or to the distance between milk and steam inlets 16 and 17 and annular duct 21 which flows out of annular chamber 18. In any case, since the shape and arrangement in space of the mixing chambers and vent apertures of Rubens and Pisecky are so different, the effect in Pisecky of applying or varying the size of the vent aperture and the distance between the inlet port and vent aperture given by Rubens would be unpredictable. The skilled artisan cannot expect a similar effect, much less a beneficial effect, from sizing the mixing chamber and ejection aperture of Pisecky according to the sizes disclosed by Rubens. Therefore, claims 26, 30, and 31 are not obvious over a combination of Pisecky, Badertscher, Fabre, and Rubens.

The Examiner relies upon Passey for disclosing the drying of a material with superheated steam which is bled off and reheated and then returned to the drying chamber (col. 2, lines 21-27). However, Passey fails to remedy the deficiencies of Pisecky, Badertscher, and Fabre. Passey fails to teach or suggest atomizing a liquid product **by admixing steam** in a mixing chamber. Instead, Passey teaches that the material to be dried is sprayed into drying chamber 1 through inlet 3 where it comes into contact with superheated steam (col. 4, lines 26-31). Thus,

atomization is not a result of mixing with steam, but is instead a result of spraying through inlet 3. Therefore, claims 38 and 41 are not rendered obvious by the combined teachings of Pisecky, Badertscher, Fabre, and Passey.

The Examiner relies upon Hovmand to teach the recirculation of non-agglomerated particles. However, Hovmand fails to cure the deficiencies of Pisecky, Badertscher, Fabre, and Passey. Hovmand is directed to an agglomerating unit which deposits moistened powder on its conical inner surface (abstract). Hovmand is not related to methods for pasteurization or sterilization, and certainly fails to teach or suggest atomizing a liquid product by admixing steam in a mixing chamber. Thus, claim 42 is not rendered obvious by the combined teachings of Pisecky, Badertscher, Fabre, Passey, and Hovmand.

The Examiner relies upon Johnston to teach a microorganism decimal reduction of at least 2. But Johnston fails to cure the deficiencies of Pisecky, Badertscher, and Fabre. Johnston fails to teach or suggest atomizing a liquid product **by admixing steam** in a mixing chamber, as discussed above. Instead, Johnston atomizes its liquiform material by spraying it at high pressure through a spray nozzle into a low-pressure steam filled chamber (page 2, left column, lines 41-54). In fact, Johnston teaches away from atomization by admixing steam. "In the improved method of this invention, the impact of steam particles against the food material is **deliberately avoided** since it appears that the physical or chemical change which such methods effect in the materials is responsible for reduced stability and flavor change in the sterilized product." (page 2, right column, lines 19-25) Thus, it would not be obvious to the skilled artisan to modify the combined teachings of Pisecky, Badertscher, Fabre, and Johnston to arrive at claim 43.

For at least the foregoing reasons, the combination of cited references fails to teach,

suggest, to provide motivation to combine teachings, or to provide motivation to modify

teachings to arrive at the claimed invention. Accordingly, Applicant respectfully requests

reconsideration and allowance of claims 26, 30, 31, 38, 41-43, and 49.

III. Conclusion

Having addressed all outstanding issues, Applicant respectfully requests reconsideration

and allowance of the present application. To the extent the Examiner believes that it would

facilitate allowance of the case, the Examiner is requested to telephone the undersigned at the

number below. The Commissioner is hereby authorized to charge any additional fees or credit

overpayment to Deposit Account No. 19-0733.

Respectfully submitted,

Dated: AND STORY

John J. Iwanicki, Reg. No. 34,628

BANNER & WITCOFF, LTD.

28 State Street, 28th Floor

Boston, MA 02109

Telephone: (617) 720-9600

USSN 10/601,009

13